


FIG. 1

### Sheet 2/ 27



	;	1	ļ	<u> </u>			ļ				ļ		
,	SS	MPEG-4 VISUAL EVRC AUDIO	RTP/UDP	(IPSec)	Ğ	-	7		5				
	<b>F</b>								- <del></del>			~	
							2		5			FIG. 3	
	PDSN				요	HDLC	FRAMING	A <sub>QUATER</sub> NETWORK LAYER	Aguater	LAYER	PHYS	Aouater	
Sheet 3/ 27	BS/PCF						L2 RELAY	Aguater NETWORK LAYER	Aguater	LAYER	PHYS	—— <b>A</b>	i
							27	NULL RLP	Mux	止	BSCH		_
											1	<u> </u>	5
	MS	MPEG-4 VISUAL EVRC AUDIO	RTP/UDP	(IPSec)	ď		HDLC FRAMING	NULL RLP	MUX		F-BSCH		
		APPLICATION LAYER	TRANSPORT	SECURITY	LAYEK	LAYER	LINK		RELAY	<u>.</u>			

### Sheet 4/27

LAYER	PROTOCOLS AND SELECTED OPTIONS FOR SERVICE OPTION XX
APPLICATION	MPEG-4 VISUAL, EVRC AUDIO, RTP PAYLOAD TYPES
TRANSPORT	RTP/UDP PORT NUMBER
SEC URITY	UNSPECIFIED
NETWORK	<u>a</u>
HEADER COMPRESSION	ВОНС
LINK	HDLC-TYPE FRAMING
RLP	NULL
MULTIPLEX	BSPM
PHYSICAL	BSPM

FIG. 4

Sheet 5/27




FIG. 5




FIG. 7






FIG.8




FIG. 10




FIG. 11

## Sheet 10/27





FIG. 13



TO N USERS

FIG. 14

TO M USERS

Sheet 12/27




FIG. 15

# Sheet 13/27

r			<u>,                                     </u>	<b>.</b>												
6	ဖ	-	0 OR 5	က	က	က	က		0 OR 11	11	5	4	2	-	-	0 OR 6
PILOT_PN	BSPM_MSG_SEQ	HSBS_REG_USED	HSBS_REG_TIMER	NUM_FBSCH	NUM_HSBS_SESSION	NUM_LPM_ENTRIES	FBSCH_ID	FREQ_INCL	FBSCH_CDMA_FREQ	FBSCH_CODE_CHAN	FBSCH_RC	FBSCH_RATE	FBSCH_FRAME_SIZE	FBSCH_FRAME_REPEAT_IND	FBSCH_SHO_SUPPORTED	NUM_NGHBR

	Ι			T			T
o	-	0 OR 11	0 OR 5	က	က	က	က
NGHBR_PN	NGHBR_FBSCH_CODE	NGHBR_FBSCH_CODE_CHAN	HSBS_ID	BSR_ID	HSBS_ID	FBSCH_ID	FBSCH_ID

FIG. 16

# Sheet 14/27

LAYER	PROTOCOLS	BROADCAST SERVICE BLOB FIELDS
APPLICATION	IDENTIFIED IN BLOB	VISUAL/AUDIO CODECS, PROFILES, RTP PAYLOAD TYPES
TRANSPORT	IDENTIFIED IN BLOB	TRANSPORT PROTOCOL, UDP PORT NUMBER
SECURITY	UNSPECIFIED	
NETWORK	으	
HEADER COMPRESSION	IDENTIFIED IN BLOB	HEADER COMPRESSION ALGORITHM & PARAMETERS
LINK	HDLC-LIKE FRAMING	
RLP	NULL	
MULTIPLEX	IDENTIFIED IN BSPM	
PHYSICAL	IDENTIFIED IN BSPM	

FIG. 17






FIG. 18

FIG. 20

FIG. 19




FIG. 22




FIG. 23


## Sheet 19/27


/	
8	
00	


SDP	SDP(1)	SDP(2)	SDP(3)
SPI	SPI(1)	SPI(2)	SPI(3)
INDEX	-	2	က


SDP(M)	
SPI(M)	
Σ	

FIG. 24












FIG. 27B

# Sheet 25/27

Field	Length (octets)
CONTROL	1
CURRENT_SDP_ID	1
CURRENT_SDP_LIFE	9
NEXT_SDP_ID	0 or 1
INCL_SDP_DESC_ID	0 or 1
INCL_SDP_DESC	0 or Variable

FIG. 28




FIG. 29B

